



VIEWBOARDS

# ViewBoard IFP7533-G

## Toets Features


- Integrated with myViewBoard software
- Multi-tasking capabilities for enhanced lesson delivery
- Embrace simplicity and organization with the USB-C one-cable solution, offering 65W of Power Delivery.
- Intuitive user interface and fast app launch for smooth operation
- Powered by Android 13



## Product Omschrijving

The ViewBoard IFP33 Series harmonizes a touch display with versatile software to create a comprehensive classroom solution for interactive and engaging learning. This interactive flat panel delivers exceptional image quality in 4K UHD, thanks to cutting-edge bonding technology that provides clearer colors, enhanced contrast, and reduced glare. The 40-point touchscreen interface, equipped with Ultra Fine Touch Technology, empowers students and teachers to collaborate seamlessly, using either their fingers or dual-tip pens, for an intuitive pen-on-paper experience. Powerful built-in front-facing speakers and a USB-C port sort out for a complete and convenient multimedia experience. The ViewBoard IFP33 Series is preinstalled with myViewBoard to offer advanced lesson delivery options for teachers and powerful device management tools for administrators.





- |                 |              |                                  |                  |
|-----------------|--------------|----------------------------------|------------------|
| 1. POWER ON/OFF | 8. LAN       | 15. VESA® Wall Mount (800x400mm) | 22. Wi-Fi Slot   |
| 2. USB C        | 9. USB 2.0x2 | 16. SPDIF                        | 23. Sensor Mount |
| 3. HDMI 1       | 10. TOUCH 2  | 17. AUDIO in                     |                  |
| 4. TOUCH 1      | 11. HDMI 2   | 18. AUDIO out                    |                  |
| 5. USB 3.0x2    | 12. HDMI 3   | 19. VGA                          |                  |
| 6. OPS Slot     | 13. HDMI OUT | 20. Power On/OFF                 |                  |
| 7. RS-232       | 14. USB      | 21. AC IN                        |                  |

**Bezoek Gebruikers**

[www.viewsonic.com](http://www.viewsonic.com)



**DISPLAY**

Paneelgrootte:	75"
Paneeltype:	TFT LCD Module with DLED Backlight. IPS
Weergavegebied (mm):	1649.664(H) × 927.936(V) (74.6" diagonal)
Aspectratio:	16:9
Resolutie:	UHD 3840x2160(Pixels)
Colors:	1.07B colors
Helderheid:	450 nits
Contrastverhouding:	5000:1 (max. with DCR enabled)
Reactietijd:	8ms
Kijkhoeken:	H=178, V=178
Levensduur achtergrondverlichting:	50,000 Hours (8 hours of use per day)
Oppervlakte behandeling:	Hardness: 7H Anti-glare coating
Oriëntatie:	Landscape

**PLATFORM**

Processor:	Quad-core ARM Cortex (A55*4 )
RAM:	8GB DDR4
Opslag:	128 GB

**TOUCH**

Type:	Ultra Fine Touch Technology
Touch punt:	40 points touch

**INPUT**

HDMI:	HDMI-IN 2.0 x 3 (3840x2160 @60Hz)
RGB/VGA:	x1
Audio:	x1
RS232:	x1
OPS:	x1 (Optional Intel Standard OPS)
WiFi:	x1 (Optional VB-WIFI-002/VB-WIFI-004/VSB-050)

**OUTPUT**

HDMI:	HDMI 2.0 x1
Audio:	x1
SPDIF:	x1

**LAN**

RJ45:	x2
-------	----

**USB**

Type A:	USB3.0 x4 (Front x2, Rear x2); USB2.0 x1
Type B:	x2 (Front x1, Rear x1)
Type C:	Frontx1 (PD65W + DP1.2 + Data USB2.0 + 10M/100M sharing)

**SPEAKERS**

18W x 2
---------

**TOP CAMERA PLATE****BUNDELSOFTWARE**

Basis annotatiesoftware:	myViewBoard Whiteboard
Pro annotatiesoftware:	myViewBoard for Windows (Embedded in optional Windows Slot-in PC)
Wireless Presentation:	myViewBoard Display
Draadloze presentatie met Touch Feedback: Viewboard Cast:	Yes

**SPECIALE EIGENSCHAPPEN**

All-in-one USB port:	(combine slot-in PC/Android/HDMI USB port) Front "SmartPort™ USB" to all channels.
Eenvoudig delen via LAN tussen IFP en slot-in-apparaat:	10/100M for Android & Slot-in PC
Light Sensor:	Yes

**STROOM**

Spanning:	100-240V AC
Consumptie:	ON: 106W ; Off: ≤ 0.5W

**ERGONOMICS**

Wandmontage (VESA®):	800x400
----------------------	---------

**OPERATING CONDITIONS**

Temperatuur (° C):	0°C to 40°C
Luchtvochtigheid:	20% ~ 80% RH non-condensing

**AFMETINGEN (B X H X D)**

Fysiek (inch/mm):	1709 x 1020 x 88 mm / 67.3 x 40.2 x 3.5 in
Verpakking (inch / mm):	1863 x 1140 x 225 mm / 73.3x 44.9 x 8.6 in

**WEIGHT**

Netto (lb / kg):	104.3lb/47.3kg
Bruto ( lb/kg):	133.5lb/60.55kg

**REGULATIONS**

FCC/ICES003, EPEAT, CE EMC, LVD or CB, RoHS Green BOM & RoHS DoC, ErP, REACH SVHC List & DoC, EEL, WEEE, BSMI,BIS

**VERPAKKINGSINHOUD**

1. 3m power cord by ship area 2. Remote control with AAA battery 3. 3m touch USB cable 4. Touch pen x 2 (VB-PEN-009) 5. Quick Start Guide + Compliance statement 6. RS232 adapter 7. Clamp x 5 8. Camera Plate 9. Screw x 8 (camera 2+2, wall mount 4) 10. HDMI cable 3m

**COMPATIBLE SLOT-IN PC**

VPC35-W53-G1/VPC37-W53-G1
---------------------------



Yes

**INGESLOTEN BESTURINGSSYSTEEM**

Android 13

Copyright © ViewSonic Corporation 2000-2024. All rights reserved.

